

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Bennett Operator Well No.: B-306

LOCATION: Elevation: 1192 Quadrangle: Weston 7.5"
District: Hackers Creek County: Lewis
Latitude: 2560 Feet South of 39 Deg. 02 Min. 30 Sec.
Longitude: 10640 Feet West of 80 Deg. 25 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company Bowie, Inc.
RR 1, Box 559
Clarksburg, WV 26301

Coal Operator
or Owner

Agent Cleve Bowie
Permit Issued Date July 10, 2008

Coal Operator
or Owner

RECEIVED
Office of Oil and Gas

JUN 30 2014

WV Department of
Environmental Protection


AFFIDAVIT

STATE OF WEST VIRGINIA,
County of X Harrison ss:

X Robert F. Syrems and X Brad Thomas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the X 8th day of Sept, 2008 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>9 5/8</u>	<u>0</u>	<u>40'</u>	<u>—</u>	<u>40'</u>
<u>7</u>	<u>0</u>	<u>1184</u>	<u>—</u>	<u>1184'</u>

Description of monument: 7" Coned & Vented and that the work of plugging and filling said well was completed on the 8 day of September, 2008



My commission expires: 3/30/2019

X Robert F. Syrems
X Brad Thomas
day of June, 20 14

Connie V. Leep
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Tim Bennett by MS Title: _____

RECEIVED
Office of Oil and Gas
MAY 22 2014
WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5
Well Location
MANNINGTON
District
MARION
County
5032
Well No.
CONSOLIDATION COAL COMPA
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Handcock

6-26-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE CAMPBELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27th day of May, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 246'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 246' to 1071'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1071' to 1074'. Tagged plug at 1074'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 606' to 612'.		16" Conductor	0'	20'
Cemented hole from 1074' back to the surface as follows: From 1074' to 812' with 105 sacks of Expandable Cement. From 812' to 506' with 190 sacks of Thixotropic Cement with dye. From 506' back to the Surface with 227 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.				
Coal Seams	Description of Monument			
<u>PITTSBURGH</u>	606' to 612'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 6th day of June, 2014.

And further deponents saith not.

Mike Campbell
Mike Campbell
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 26th day of June 2014

Kara Beth Ford
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-00067-P
Well No. 5032



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
NEWTON S. BEATY (C/O DONALD SNIDER)
Lease or Property Owner
169 BUFFALO BRINK RD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5
Well Location
MANNINGTON
District
MARION
County
3954
Well No.
BEATY, NEWTON S.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 6-26-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 21st day of May, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 ¼" hole from Surface to 325'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 325' to 526'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 526' to 1287'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 796' to 803'. Reduced hole to 6 ¼". Cleaned 6 ¼" hole from 1287' to 1318'. <u>Cemented hole from 1318' back to the surface as follows:</u> From 1318' to 1003' with 117 sacks of Expandable Cement. From 1003' to 696' with 140 sacks of Thixotropic Cement with green dye. From 696' back to the Surface with 333 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'	
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	796' to 803'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 3rd day of June, 2014.

And further deponents saith not.


[Signature]
Roger Moore
[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 26th day of June 2014

[Signature]
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-02304-P
Well No. 3954



RECEIVED
Office of Oil and Gas
JUN 30 2014
WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
MARK A. & CARRIE A. HENDERSHOT
Lease or Property Owner
7017 CARRIAGE LN FAIRMONT, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5
Well Location
MANNINGTON
District
MARION
County
5149
Well No.
HENDERSHOT, MARK A. & CAR
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Hendrick* 6-26-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

BRETT HOWELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 229'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 229' to the top of 7" casing at 415'. Removed 378' of junk 7" casing from 415' to 793' with extreme difficulty. Continued cleaning 9 7/8" hole from 415' to 793'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 711' to 717'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 793' to 1788'. Left 767' of 7" casing in the hole from 793' to 1682'. Remaining 7" casing was not cut every 100' due to the casing being ripped and/or parted at the following depths: 835' to 840', 975' to 978', 1202' to 1205', 1306' to 1309', 1405' to 1412', and 1543' to 1639'.	16" Conductor 7" Casing	0' 378'	20' 767'	
<u>Cemented hole from 1788' back to the surface as follows:</u> From 1788' to 917' with 117 sacks of Expandable Cement. From 917' to 611' with 110 sacks of Thixotropic Cement with green dye. From 611' back to the Surface with 265' of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	711' to 717'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

RECEIVED
Office of Oil and
JUN 30 2014
A
WV Department
Environmental Protection

... And that the work of plugging and filling said well was completed on the 12th day of June, 2014.

And further deponents saith not.

Brett Howell
Brett Howell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 25th day of June 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-02307-P
Well No. 5149



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5009
Well No.
CONSOLIDATION COAL COMPA
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Hunter

6-26-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 23rd day of May, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2' hole from Surface to 223'. Reduced hole to 9 7/8'. Cleaned 9 7/8' hole from 223' to 1129'. Reduced hole to 7 7/8'. Cleaned 7 7/8' hole from 1129' to 1210'. Tagged plug at 1210'. Cleaned 9 7/8' hole through the Pittsburgh Coal seam from 579' to 586'. <u>Cemented hole from 1210' back to surface as follows:</u> From 1210' to 786' with 160 sacks of Expandable Cement. From 786' to 479' with 185 sacks of Thixotropic Cement with dye. From 479' back to Surface with 225 sacks of Expandable Cement. Cement did circulate at the surface. Left 18' of 16" conductor casing in the hole from the surface to 18'.	16" Conductor	0'	18'	
		RECEIVED Office of Oil and Gas JUN 30 2014 WV Department of Environmental Protection		
Coal Seams				
Pittsburgh	(579' - 586')			
		Description of Monument		
		77" of 7" casing w/ company name, well number,		
		permit number and date cemented stated on 7"		
		casing. Well marker will be attached to cement		
		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 4th day of June, 2014

And further deponents saith not.


Mike Mitchell
Mike Mitchell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 26th day of June 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02315-P
Well No. 5009

COPY

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

JACK R. HAMMERS AND PAUL F. HAMMERS
Lease or Property Owner
165 OAKMONT ROAD, WHEELING, WV 26003
#3 SQUIRE VALLEY, BARBOURSVILLE, WV 26604
Address

MCELROY COAL COMPANY
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
CAMERON, WV 7.5'

Well Location

CAMERON

District

MARSHALL

County

M-1594

Well No.

HAMMERS, JACK R. & PAUL F.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 12th day of May, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 3/4" hole from the surface to 140'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 140' to 929'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 929' to 1855'. Tagged solid plug at 1855'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 802' to 808'. Removed 85' of 7" casing from 929' to 1014'. Left an unknown amount of 7" casing in the hole from 1014' to an unknown depth. Cut remaining 7" casing at the following depths: 1850', 1750', 1650', 1550', 1450', 1350', 1250', 1150', and 1050'. Left 19' of 10 3/4" casing in the hole from 140' to 159'.	16" Casing 7" Casing 10 3/4" Casing	0' 85" 0'	20' Unknown 19'	
<u>Cemented hole from 1855' to the surface as follows:</u> From 1855' to 1008' with 108 sacks of Expandable Cement. From 1008' to 702' with 155 sacks of Thixotropic Cement with Green Dye. From 702' to the Surface with 309 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.		RECEIVED Office of Oil JUN 30 2002 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(802' - 808')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 21st day of May, 2014.

And further deponents saith not.


Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 13th day of June 2014

Kara Beth Forst
Notary Public

My commission expires: 11/1/23



Permit No. 47-51-01417-P
Well No. M-1594